AMENDMENTS TO THE SPECIFICATION

Please amend the paragraph beginning on page 10, line 19, as follows:

The present invention will now be described in detail with reference to the following examples and figures in which figure:

FIGURE 1 is a schematic presentation of the region between exon 7 and the 3'UTR of the vitamin D receptor gene.

Please also amend the specification by inserting the following Tables 1-4 on page 17 after the paragraph ending "implications of our results."

TABLE 1.

Characteristics of the Population According to VDR Genotype

CHARACTERISTIC [†]							
	11	12	13	22	23	33	P-VALUE
Number (%)	493 (24.9)	735 (37.2)	202 (10.2)	351 (17.7)	170 (8.6)	27 (1.4)	
Age (years)	67.0 ± 6.8	67.1 ± 6.8	67.2 ± 7.1	67.0 ± 7.1	66.9 ± 6.8	67.0 ± 7.1	0.93\$
Body Mass Index (kg/m²)	26.1 ± 3.7	26.0 ± 3.3	25.8 ± 3.6	26.1 ± 1.34	26.0 ± 3.2	25.5 ± 2.9	0.78
Dietary calcium-intake (mg / day)	1116 ± 350	1122 ± 364	1122 ± 356	1092 ± 369	1094 ± 342	1158 ± 254	0.78
Serum HDL-cholesterol (mmol/l)	1.34 ± 0.37	1.35 ± 0.36	1.36 ± 0.34	1.35 ± 0.37	1.32 ± 0.33	1.36 ± 0.38	0.91
Serum cholesterol (mmol/l)	6.68 ± 1.21	6.63 ± 1.26	6.64 ± 1.16	6.60 ± 1.19	6.59 ± 1.21	6.60 ± 0.96	0.95
Current smoker (%)	130 (26.4)	172 (23.4)	45 (22.3)	78 (22.2)	40 (23.5)	6 (22.2)	0.83¶

[†] Values are means ± standard deviation; BMI is weight divided by the square height

LAW OFFICES OF CHRISTENSEN O'CONNOR JOHNSON KINDNESS**** 1420 Fifth Avenue Suite 2800 Seattle, Washington 98101 205.682.8100

[§] P-value for ANOVA

[¶] P-value for Chi-2 test

TABLE 2.

Myo	cardial infarction	on Accord	ing to VDR alle	ele I Genot	уре		
	Men		Wox	nen	All		
	MI (%)	Total	MI (%)	Total	MI (%)	Total	
Total	151 (15.8)	954	62 (6.1)	1024	213 (10.8)	1978	
by VDR allele I genotype	;						
Reference [†]	39 (14.7)	266	10 (3.5)	282	49 (8.9)	548	
Heterozygotes	69 (15.4)	449	31 (6.4)	488	100 (10.7)	937	
Homozygotes	43 (18.0)	239	21 (8.3)	254	64 (13.0)	493	
χ^2	1.18		5.38		4.43		
P-VALUE	0.55		0.07		0.11		
Odds Ratios for My	ocardial Infarc	t by VDR	allele I genoty	pe [95% C	<i>'</i>		
Crude							
Reference	1.00		1.00		1.00		
Heterozygotes	1.07 [0.72 - 1.71]		1.86 [0.90 - 3.85]		1.23 [0.86 - 1.76]		
Homozygotes	1.28 [0.80 - 2.05]		2.48 [1.15 - 5.39]		1.53 [1.03 - 2.21]		
per copy VDR I allele	1.13 [0.892 - 1.44]		1.53 [1.07 - 2.20]		1.24 [1.02 - 1.51]		
Age-, BMI-adjusted							
Reference [†]	1.00		1.00		1.00		
Heterozygotes	1.11 [0.72 –	1.71]	1.77 [0.85 -	-3.68]	1.22 [0.85 - 1.7	5]	
Homozygotes	1.33 [0.82 -	2.14]	2.45 [1.12 -	- 5.34]	1.55 [1.04 - 2.3	0]	
per copy VDR 1 allele	1.15 [0.91 –	1.47]	1.53 [1.06 -	-2.22]	1.25 [1.02 - 1.5	2]	

^{† &}quot;Reference" includes VDR genotypes 22, 23, 33; "Heterozygotes" includes 12, 13; "Homozygotes" includes 11

TABLE 3. Myocardial Infarction According to VDR allele 1 Genotyne by Quartiles of Dietary Calcium Intake

	< 877 mg/day	> 877, < 1076	> 1076, < 1302	⊘ 1302	
	MI (%) Total	MI (%) Total	MI (%) Total	MI (%) Total	
Total	43 (10.) 432	50 (11.6) 431	45 (10.4) 432	49 (11.4) 430	
by <i>VDR allele 1</i> gen	otype				
Reference [†]	13 (9.9) 131	14 (12.5) 112	12 (9.6) 125	3 (2.6) 114	
Heterozygotes	21 (10.5) 200	24 (11.8) 204	21 (10.0) 210	26 (12.6) 207	
Homozygotes	9 (8.9) 101	12 (10.4) 115	12 (12.4) 97	20 (18.3) 109	
χ²	0.19	0.25	0.53	14.17	
P-VALUE	0.91	0.88	0.77	0.0008	
O	dds Ratios for Myocardial l	infarction by VDR allele 1	I genotype [95% CI]		
Crude					
Reference	1.00	1.00	1.00	1.00	
Heterozygotes	1.09 [0.52 - 2.27]	0.93 [0.46 - 1.89]	1.04 [0.49 - 220]	5.40 [1.59 - 18.3]	
Homozygotes	0.90 [0.37 - 2.20]	0.82 [0.36 - 1.87]	1.32 [0.56 - 3.09]	8.31 [2.39 - 29.0]	

^{† &}quot;Reference" includes VDR genotypes 22, 23, 33; "Heterozygotes" includes 12, 13; "Homozygotes" includes 11

TABLE 4.

Myocardial Arrythmias According to VDR allele I Genotype by Quartiles of Dietary Calcium Intake

	< 877 mg/day		> 877, < 1076		> 1076, < 1302		≥ 1302	
	MA (%)	Total	MA (%)	Total	MA (%)	Total	MA (%)	Total
Total	37 (12.1)	307	27 (9.2)	292	17 (5.6)	302	31 (10.1)	306
by VDR allele 1 ger	iotype							
Reference†	16 (17.0)	94	6 (8.8)	68	7 (7.7)	91	5 (5.7)	88
Heterozygotes	14 (10.1)	138	14 (10.1)	138	6 (4.4)	135	12 (8.5)	141
Homozygotes	7 (9.3)	75	7 (8.1)	86	4 (5.3)	76	14 (18.2)	77
χ^2	3.19		0.27		1.11		7.80	
P-VALUE	0.20		0.87		0.58		0.02	
Odds Ratios for M	yocardial arryth	mias by V	/DR allele 1 g	enotype [9	95% Cl]			
Crude								
Reference	1.00		1.00		1-00		1.00	
Heterozygotes	0.57 [0.26	- 1.23]	1.13 [0.41	- 3.12]	0.54 [0.18 – 1.69]		1.60 [0.54 - 4.74]	
Homozygotes	0.51 [0.20 - 1.32]		0.92 [0.29 - 2.92]		0.69 [0.19 - 2.46]		3.63 [1.22 - 10.9]	

^{† &}quot;Reference" includes VDR genotypes 22, 23, 33; "Heterozygotes" includes 12, 13; "Homozygotes" includes 11